


reverse osmosis drinking water system



This technology provides the ultimate in cleaner, clearer, better tasting water. OMNIPRO®'s reverse osmosis drinking water system filters water through 4 stages. First the water passes through a 2-micron carbon block prefilter where the majority of sediment and chlorine are removed. The second stage is a 1-micron carbon block where cysts are removed along with additional compounds that impart taste and odors to the water. In the third stage, the Reverse Osmosis (RO) filtration process forces water across a semi-permeable membrane to screen out unwanted chemicals, salts and other contaminants. The filtered water then goes to a 3-gallon storage tank while the unwanted

minerals and contaminants are sent down the drain. A final post filter polishes the water one last time before delivering the best tasting water for your home or office.

APPLICATIONS

- **Reduces...** Rust and sediment, Lead, Nitrates, Nitrites, BAD tastes and odors, Chlorine, Sodium, Copper, Barium, Chromium, Cadmium, Selenium, Cryptosporidium and Giardia cysts, and other salts and minerals.

These units are intended for non-commercial, indoor use. Replacement filter cartridges are sold separately. Units are installed quickly and easily.

OMNIPRO® PRO WATER FILTERS

FEATURES

PRO-RO2000 – 4-stage Reverse Osmosis Drinking Water System with 3 gallon pressure tank, air gap faucet, installation hardware and wrench.

SPECIFICATIONS

Maximum Daily Flow Rate – Up to 16 GPD

Operating Pressure Range – 40 - 125 PSI

Operating Temperature Range – 35°F to 100°F (2°C - 38°C)

Operating pH Range – 6.5 - 9.0

Replacement Cartridges –

Stage 1: PRO-23

Stage 2: PRO-4

Stage 3: TFC-RO Membrane

Stage 4: PRO-501

OMNIPRO® is a registered trademark of Sta-Rite Industries, Inc.

In order to provide the best products possible, specifications are subject to change.

GULF SOUTH SUPPLY INC
7721 AIRLINE DR.
HOUSTON, TEXAS 77037

GSS-16A
PAGE 5
1102

PHONE 281-445-8077

FAX 281-445-8557

reverse osmosis drinking water system



MODEL #
PRO-RO2000-----REVERSE OSMOSIS SYSTEM-----
4-STAGE REVERSE OSMOSIS SYSTEM.
RATED UP TO 16 GALLONS/DAY.

REPLACEMENT CARTRIDGES & MEMBRANE FOR PRO-RO2000

<u>PART NUMBER</u>	
PRO-23	CARTRIDGE-----STAGE 1-----
PRO-4	CARTRIDGE-----STAGE 2-----
TFC-RO	MEMBRANE-----STAGE 3----- (ORDER P/N OM1-S MEMBRANE)
PRO-501	CARTRIDGE-----STAGE 4-----